

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	746	(((\$load\$5 obtain\$t get\$5) near9 (profile script ) ) and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 09:27
S2	128	(((\$load\$5 obtain\$t get\$5) near9 (profile script ) ) and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901" and 709/217-229.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/20 09:28
S3	1	(((\$load\$5 obtain\$t get\$5) near9 (profile script ) ).ab. and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901" and 709/217-229.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/20 09:29
S4	12	(((\$load\$5 obtain\$t get\$5) near9 (profile script ) ).ab. and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 09:30
S5	0	(((\$load\$5 obtain\$t get\$5 determin\$5) near9 (profile script (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ) .ab. and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901" and login.ab.	US-PGPUB; USPAT	OR	ON	2005/08/20 09:32
S6	1981	(((\$load\$5 obtain\$t get\$5 determin\$5) near9 (profile script (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ) and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 09:33
S7	80	(((\$load\$5 obtain\$t get\$5 determin\$5) near9 (profile script (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ).ab. and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 09:54
S8	1	(( login log-in ) near9 (profile script (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ).ab. and ((creat\$5 establish\$5 set) near9 (local )) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 09:56

S9	14	(( login log-in ) adj2 (profile script agent proxy manag\$5 ) ) and ((creat\$5 establish\$5 set) adj9 ((local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 10:55
S10	553	(profile script ) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare ) adj9 ( (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 11:09
S11	62	(profile script ).ab. and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare ) adj9 ( (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/20 11:00
S12	274	(profile script ) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare ) adj9 ( (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ) and @ad<"20010901" and (local adj database)	US-PGPUB; USPAT	OR	ON	2005/08/20 11:09
S13	59	(profile script ) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare ) adj9 ( (local\$5 adj3 (capabilit\$5 configur\$5 database resource) ) ) ) and @ad<"20010901" and (local adj database) and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/20 11:10
S14	70	(profile script ) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare ) adj9 ( (local\$5 adj3 ( database ) ) ) ) and @ad<"20010901" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/20 11:12

S15	43	(profile script ) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare ) adj9 ( (local\$5 adj3 ( database ) ) ) ) and @ad<"20010901" and download and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/20 11:24
S16	19	(profile script ) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare ) near9 ( (local\$5 near3 ( database ) ) ) ) and @ad<"20010901" and download and "709".clas. not S15	US-PGPUB; USPAT	OR	ON	2005/08/20 11:57
S17	111	(profile script ) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare replicat\$5 ) near9 ( (local\$5 near3 ( database ) ) ) ) and @ad<"20010901" and download and (authenticat\$5 near5 user)	US-PGPUB; USPAT	OR	ON	2005/08/20 12:23
S18	60	(access near4 manag\$5) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare replicat\$5 ) near9 ( (local\$5 near3 ( database ) ) ) ) and @ad<"20010901" and download and (authenticat\$5 near5 user)	US-PGPUB; USPAT	OR	ON	2005/08/20 12:26
S19	10	(local near4 (access near4 manag\$5)) and ( (\$4creat\$5 establish\$5 set install\$5 build\$4 construct\$5 custom\$5 develop\$5 extract\$4 generat\$4 instantiat\$5 produce assembl\$5 configur\$5 prepare replicat\$5 ) near9 ( (local\$5 near3 ( database ) ) ) ) and @ad<"20010901" and download and (authenticat\$5 near5 user)	US-PGPUB; USPAT	OR	ON	2005/08/20 12:24

S20	15	(access near4 manag\$5) and (local\$5 near3 ( database ) ) and @ad<"20010901" and download and (authenticat\$5 near5 user) and 709/229.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/20 12:54
S21	9	(access near4 manag\$5) and (local\$5 near3 ( copy replica\$5 ) ) and @ad<"20010901" and download and (authenticat\$5 near5 user) and 709/229.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/20 12:58
S22	7	(access near4 manag\$5) and (local\$5 near3 ( copy replica\$5 ) ) and @ad<"20010901" and (download near3 script\$5) and (authenticat\$5 near5 user)	US-PGPUB; USPAT	OR	ON	2005/08/20 12:59
S23	56	(access near4 manag\$5) and (local\$5 near3 ( copy replica\$5 image database reproduc\$5 ) ) and @ad<"20010901" and (download near3 (script\$5 install\$5)) and (authenticat\$5 near5 user)	US-PGPUB; USPAT	OR	ON	2005/08/20 13:39
S24	0	(access near4 manag\$5) and (local\$5 near3 ( offload\$5 copy replica\$5 image database reproduc\$5 ) ) and @ad<"20010901" and (download near3 (script\$5 install\$5)) and (authenticat\$5 near5 user) not S23	US-PGPUB; USPAT	OR	ON	2005/08/20 13:47
S25	11	((access local) near4 manag\$5) and (local\$5 near3 ( offload\$5 copy replica\$5 image database reproduc\$5 ) ) and @ad<"20010901" and (download near3 (script\$5 install\$5)) and (authenticat\$5 near5 user) not S23	US-PGPUB; USPAT	OR	ON	2005/08/20 13:49
S26	11	((access local) near4 manag\$5) and (local\$5 near3 ( offload\$5 copy replica\$5 image database reproduc\$5 ) ) and @ad<"20010901" and (download near3 (script\$5 install\$5 (access near4 (rights level) )) ) and (authenticat\$5 near5 user) not S23	US-PGPUB; USPAT	OR	ON	2005/08/20 13:52

S27	38	((access local) near4 manag\$5) and (local\$5 near3 ( offload\$5 copy replica\$5 image database reproduc\$5 ) ) and @ad<"20010901" and (download near3 (script\$5 install\$5 (access near4 (rights level) )) ) and ((access authenticat\$5) near5 user) not S23	US-PGPUB; USPAT	OR	ON	2005/08/20 13:53
S28	64	((access local) near4 manag\$5) and (local\$5 near3 ( offload\$5 copy replica\$5 image database reproduc\$5 ) ) and @ad<"20010901" and (download near3 (script\$5 install\$5 agent project environment workspace (access near4 (rights level) )) ) and ((access authenticat\$5) near5 user) not S23	US-PGPUB; USPAT	OR	ON	2005/08/20 13:54
S29	3171	(profile script ) and ((local\$5 adj3 (capabilit\$5 configur\$5 database resource manag\$5) ) ) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/22 08:52
S30	84	(download near4 (profile script )) and ((local\$5 adj3 (capabilit\$5 configur\$5 database resource manag\$5) ) ) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/22 09:00
S31	23	(( desktop download) near4 (profile script )) and ((local\$5 adj3 (capabilit\$5 configur\$5 database resource manag\$5) ) ) and @ad<"20010901" not S30	US-PGPUB; USPAT	OR	ON	2005/08/22 10:04
S32	134	((local\$5 adj3 (capabilit\$5 configur\$5 database resource manag\$5) ) ) and @ad<"20010901" and (offline near9 (configuration file database resource))	US-PGPUB; USPAT	OR	ON	2005/08/22 10:05
S33	10	(download near4 (access adj (right level))) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/22 11:41
S34	50	( ( \$4load\$5 ) near9 (access adj (right level))) and @ad<"20010901" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 11:43
S35	16	( ( \$4load\$5 ) near9 (access adj (right level))) and @ad<"20010901" and "709".clas. and (local near9 manag\$5)	US-PGPUB; USPAT	OR	ON	2005/08/22 11:44

S36	16	(( \$load\$5 ) near9 (access adj (right level))) and @ad<"20010901" and "709".clas. and (local near9 manag\$5) and (local near9 (database resource))	US-PGPUB; USPAT	OR	ON	2005/08/22 13:30
S37	0	(( download\$5 ) near9 (access adj (right level))) and @ad<"20010901" and "709".clas. and (local near9 manag\$5) and (local near9 (database resource))	US-PGPUB; USPAT	OR	ON	2005/08/22 11:45
S38	0	(( download\$5 ) near9 (access adj (right level))) and @ad<"20010901" and "709".clas. and (local near9 manag\$5)	US-PGPUB; USPAT	OR	ON	2005/08/22 11:45
S39	15	(( download\$5 ) near9 (access adj (right level))) and @ad<"20010901" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 11:46
S40	33	(( download\$5 ) near9 (access adj3 (right level propert\$5 code))) and @ad<"20010901" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 11:46
S41	33	(( download\$5 ) near9 (access adj3 (right level propert\$5 code authorit\$5 ))) and @ad<"20010901" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 11:52
S42	81	(( local\$5 ) near9 (access adj3 (right level propert\$5 code authorit\$5 ))) and @ad<"20010901" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 11:53
S43	0	(( local\$5 ) near9 (access adj3 (right level propert\$5 code authorit\$5 ))) and @ad<"20010901" and "709".clas. and (script near4 access)	US-PGPUB; USPAT	OR	ON	2005/08/22 11:53
S44	78	(( local\$5 ) near9 (access adj3 (right level propert\$5 code authorit\$5 ))) and @ad<"20010901" and "709".clas. not S41	US-PGPUB; USPAT	OR	ON	2005/08/22 11:56
S45	2	(( local\$5 ) near9 (access adj3 (right level propert\$5 code authorit\$5 ))) and @ad<"20010901" and (creat\$5 near9 (local adj database))	US-PGPUB; USPAT	OR	ON	2005/08/22 11:56
S46	2	(( local\$5 ) near9 (access adj3 (right level propert\$5 code authorit\$5 ))) and @ad<"20010901" and (creat\$5 near9 (local adj3 database))	US-PGPUB; USPAT	OR	ON	2005/08/22 11:56

S47	41	( ( \$4load\$5 ) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj (right level permission)) ) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource))	US-PGPUB; USPAT	OR	ON	2005/08/22 13:36
S48	145	( ( \$4load\$5 replicat\$5 copy\$5 propagat\$5 transmit\$5 send\$5 pass\$5 extract\$5 obtain\$5 get\$5) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission)) ) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment workspace project resource file)) )	US-PGPUB; USPAT	OR	ON	2005/08/22 13:42
S49	72	( ( \$4load\$5 replicat\$5 copy\$5 propagat\$5 transmit\$5 send\$5 pass\$5 extract\$5 obtain\$5 get\$5) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission)) ) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment workspace project resource file)) ) and (download) and script	US-PGPUB; USPAT	OR	ON	2005/08/22 13:57
S50	4	( ( \$4load\$5 replicat\$5 copy\$5 propagat\$5 transmit\$5 send\$5 pass\$5 extract\$5 obtain\$5 get\$5) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource content copy replica)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment workspace project resource file)) ) and (download) and script not S49	US-PGPUB; USPAT	OR	ON	2005/08/22 14:38

S51	21	( (offline off-line) near9 (configur\$5 initiali\$5 replicat\$5 download\$5 \$4construct\$5 customi\$5)) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource content copy replica)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment workspace project resource file)) ) and (download) and script not S49	US-PGPUB; USPAT	OR	ON	2005/08/22 14:09
S52	21	( (offline off-line) near9 (configur\$5 initiali\$5 replicat\$5 download\$5 \$4construct\$5 customi\$5)) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource content copy replica)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment work\$5 project resource file)) ) and (download) and script not S49	US-PGPUB; USPAT	OR	ON	2005/08/22 14:13
S53	42	(download near4 (control\$5 manag\$5 supervis\$5 adminis\$5)) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource content copy replica)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment work\$5 project resource file)) ) and (download) and script not S49	US-PGPUB; USPAT	OR	ON	2005/08/22 14:35
S54	4	(( (local) near9 ((access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource content copy replica)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment workspace project resource file)) ) and (download) and script not S49	US-PGPUB; USPAT	OR	ON	2005/08/22 15:02



S55	4	(( local standalone independent\$5 offload off-load) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and (local near9 manag\$5) and (local near9 (database resource content copy replica)) and ( (( user\$5 personal subscriber individual) near3 (script specific profile context environment workspace project resource file)) ) and (download) and script not S49	US-PGPUB; USPAT	OR	ON	2005/08/22 15:10
S56	54	(( local standalone independent\$5 offload off-load) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and "713".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 16:23
S57	45	(( local standalone independent\$5 offload off-load script) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and "713".clas. not "56"	US-PGPUB; USPAT	OR	ON	2005/08/22 16:23
S58	58	(( local standalone independent\$5 offload off-load script) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and "713".clas. not "I56"	US-PGPUB; USPAT	OR	ON	2005/08/22 16:24
S59	58	(( local standalone independent\$5 offload off-load script) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and "713".clas. not "I56"	US-PGPUB; USPAT	OR	ON	2005/08/22 16:24
S60	58	(( local standalone independent\$5 offload off-load script) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" not "I56" and "713".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 16:24

S61	13	(( local standalone independent\$5 offload off-load script) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" not S57 and "713".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 16:25
S62	58	(( local standalone independent\$5 offload off-load script) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and "713".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 16:25
S63	100	(( local standalone independent\$5 offload off-load script delegat\$4) near9 ( (access authorit\$5 view\$5 edit\$5 modif\$5 brows\$5 updat\$5) adj2 (right level permission authorit\$5)) ) and @ad<"20010901" and "713".clas.	US-PGPUB; USPAT	OR	ON	2005/08/22 16:26
S64	561	(download adj (control\$5 manag\$5) ) and @ad<"20020101"	US-PGPUB; USPAT	OR	ON	2005/08/23 10:31
S65	509	(download adj (control\$5 manag\$5) ) and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/23 10:31
S66	24	(download adj (control\$5 manag\$5) ).ab. and @ad<"20010901"	US-PGPUB; USPAT	OR	ON	2005/08/23 10:34
S67	1	(download adj (control\$5 manag\$5) ).ab. and @ad<"20010901" and 709/220-229.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/23 10:34
S68	52	(download adj (control\$5 manag\$5) ) and @ad<"20010901" and 709/220-229.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/23 10:38
S69	0	(download adj (control\$5 manag\$5) ) and @ad<"20010901" and 709/220-229.ccls. and ( (access near3 (right level permission grant authori\$5)) near4 local)	US-PGPUB; USPAT	OR	ON	2005/08/23 10:39
S70	1	(download adj (control\$5 manag\$5) ) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) near4 local)	US-PGPUB; USPAT	OR	ON	2005/08/23 10:39
S71	11	(download adj (control\$5 manag\$5) ) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) same local)	US-PGPUB; USPAT	OR	ON	2005/08/23 11:31

S72	245	((symbol qualif\$4 flag sign) near9 (access authority )) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) same local)	US-PGPUB; USPAT	OR	ON	2005/08/23 10:48
S73	51	((symbol qualif\$4 flag sign) near9 (access authority permission )) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) near5 local)	US-PGPUB; USPAT	OR	ON	2005/08/23 10:50
S74	53	((symbol qualif\$4 flag sign) near9 (access authority permission )) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) near5 (local script))	US-PGPUB; USPAT	OR	ON	2005/08/23 10:51
S75	18	((symbol qualif\$4 flag sign) near9 (access authority permission )) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) near5 (local script)) and ("709" "713").clas.	US-PGPUB; USPAT	OR	ON	2005/08/23 10:51
S76	0	(replacat\$5 adj (control\$5 manag\$5) ) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) same local)	US-PGPUB; USPAT	OR	ON	2005/08/23 11:31
S77	13	(replicat\$5 adj (control\$5 manag\$5) ) and @ad<"20010901" and ( (access near3 (right level permission grant authori\$5)) same local)	US-PGPUB; USPAT	OR	ON	2005/08/23 11:31